

	Type	Hits	Search Text	DBs
1	BRS	0	"09489072"	USPAT
2	BRS	1	"4295193".PN.	USPAT
3	BRS	1	"4437149".PN.	USPAT
4	BRS	1	"4943908".PN.	USPAT
5	BRS	1	"4991080".PN.	USPAT
6	BRS	1	"5072364".PN.	USPAT
7	BRS	1	"5163140".pn.	USPAT
8	BRS	57	"5163140".URPN.	USPAT
9	BRS	1	"5230068".pn.	USPAT
10	BRS	0	"9489072"	USPAT
11	BRS	140	\$2valid\$3 adj opcode	USPAT
12	BRS	95	(\$2valid\$3 adj opcode) and branch	USPAT
13	BRS	43	(\$2valid\$3 adj opcode) and branch adj prediction	USPAT
14	BRS	44	(\$2valid\$3 adj opcode) and branch and prediction	USPAT
15	BRS	8	((look-up or access or predict) near2 (every or all or each) near2 address) and (target adj address)	USPAT
16	BRS	3506	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3)	USPAT
17	BRS	59	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address)	USPAT
18	BRS	36	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address) and ((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
19	BRS	76	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) with (target adj address)	USPAT
20	BRS	18	(712/237 712/233 712/239).ccls. and speculat\$3 with (stack buffer) with return	USPAT
21	BRS	1	(branch near2 (buffer or cache)) with ((every or all) adj instruction)	USPAT
22	BRS	0	(branch near2 (buffer or cache))adj all	USPAT
23	BRS	2	(branch near2 (buffer or cache))adj every	USPAT

24	BRS	0	(branch near2 (buffer or cache))near2 all	USPAT
----	-----	---	--	-------

	Type	Hits	Search Text	DBs
25	BRS	3	(branch near4 (buffer or cache)) with ((every or all) adj instruction)	USPAT
26	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
27	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
28	BRS	11	(invalid\$3 adj opcode) and branch adj prediction	USPAT
29	BRS	0	(look-up near2 (every or all or each) near2 address) and (target adj address)	USPAT
30	BRS	0	(look-up near2 every near2 address) and (target adj address)	USPAT
31	BRS	285	712/208.ccls.	USPAT
32	BRS	1692	712/233-244.ccls.	USPAT
33	BRS	110	712/235.ccls.	USPAT
34	BRS	101	712/235.ccls. and branch	USPAT
35	BRS	75	712/235.ccls. and branch and target	USPAT
36	BRS	69	712/235.ccls. and branch and target and (cache or buffer)	USPAT
37	BRS	0	712/240.ccls	USPAT
38	BRS	211	712/240.ccls.	USPAT
39	BRS	23	712/240.ccls. and (address adj (subset or portion))	USPAT
40	BRS	2	712/240.ccls. and BTAC	USPAT
41	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
42	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
43	BRS	0	always adj calculat\$3 near2 (target adj address)	USPAT
44	BRS	0	always adj predict near2 (target adj address)	USPAT
45	BRS	1416	branch near2 (buffer or cache)	USPAT
46	BRS	10	decod\$3 adj after adj branch\$3	USPAT

47	BRS	0	decod\$3 adj after adj speculation	USPAT
----	-----	---	---------------------------------------	-------

	Type	Hits	Search Text	DBs
48	BRS	0	EACH ADJ INSTRUCTION AND (TARGET ADJ ADDRESS)	USPAT
49	BRS	552	emma.in.	USPAT
50	BRS	29	emma.in. and branch	USPAT
51	BRS	16	emma.in. and branch and target	USPAT
52	BRS	7	emma.in. and branch.ti.	USPAT
53	BRS	259	EVERY ADJ INSTRUCTION AND (TARGET ADJ ADDRESS)	USPAT
54	BRS	2	EVERY ADJ INSTRUCTION WITH (TARGET ADJ ADDRESS)	USPAT
55	BRS	20	instruction near2 length near2 compar\$3	USPAT
56	BRS	544436	integrat\$3 (instruction adj cache) with (BTAC or (branch adj target adj address cache))	USPAT
57	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address adj cache)))	USPAT
58	BRS	174	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address cache)))	USPAT
59	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address)))	USPAT
60	BRS	10	meonske	USPAT
61	BRS	22	meonske	USPAT
62	BRS	278	non-branch	USPAT
63	BRS	247	non-branch and fetch\$3	USPAT
64	BRS	225	non-branch and fetch\$3 and decod\$3	USPAT
65	BRS	91	Popescu.in.	USPAT
66	BRS	0	Popescu.in. and val.in.	USPAT
67	BRS	3	speculative adj branch adj target adj address	USPAT
68	BRS	0	speculative adj branch adj target adj address adj (buffer or cache)	USPAT
69	BRS	334	speculative and (branch adj target near2 (cache or buffer))	USPAT
70	BRS	739	speculative and (branch near2 target and (cache or buffer))	USPAT

71	BRS	21	speculative and branch adj target adj address adj (buffer or cache)	USPAT
----	-----	----	---	-------